High-speed all-in-one A4 colour devices



IM C530FB IM C530F

🗹 Copy 🗹 Print 🗹 Scan 🗹 Fax

Future-proof your processes

Want your team to work faster without compromising on quality? You don't need to create yet another 'time management' training course. There's a much smarter way to boost productivity in the 2020s. Introducing the IM C530FB and IM C530F — the high-speed, compact, all-in-one line of devices that do all of the heavy 'lifting' for you, as quick as a flash. This means your team can focus on the areas and tasks that enable them to get their work done...instead of having to wait for that 87-page report to get printed without a paper jam...

Our new A4 colour devices are specifically designed to boost your team's productivity efficiently and effectively. IM C530FB (base model) and IM C530F (finisher model) optimize digital workflows with apps and solutions available in the cloud. As a result, all of your processes can work seamlessly, without costly interruptions or waiting times.

- Work faster: Seamlessly print up to 53 pages per minute, cut waiting times and boost productivity.
- Optimize digital workflows: Share and instantly use all types of information, thanks to the MFP cloud connection.
- Scale up at your own pace: Easily customize, manage and add new features to your device, using the new 7" touchscreen control panel.
- Save space: IM C530FB and IM C530F are compact devices designed to take up less space and leave more room for your pressing needs.
- Seamlessly print documents: Print up to 3,250 sheets without interruption and make light work of printing tasks.
- Save time: With IM C530F you work more efficiently by automating manual tasks, such as separating or stapling files together, thanks to the standard finishing function.
- Intuitive and fast operation: The 7" smart operation panel provides consistent operability across multiple devices in our portfolio. Simply follow the steps on screen.

Think of all of the things you can do in a matter of seconds on your smartphone. Now imagine what your team could achieve with IM C530FB and IM C530F, the high-speed all-in-one printers designed to significantly optimize your workflows and scale up productivity.

Optimize your workflows and boost productivity with minimum hassle

High speed A4 colour printing

The IM C530FB and IM C530F, with its standard finishing function, have the capacity to seamlessly print up to 53 pages per minute and deliver up to 3,250 pages without compromising quality, thanks to the new large capacity tray. The UI provides consistent operability across multiple devices in our portfolio, so once you manage one device, you can effortlessly use any of them.



Fully digitalized workflows = flawless processes Today's fast-paced working environment dictates that you always stay connected and meet expectations as quickly as

possible.

The IM C530FB and IM C530F give you an advantage in this digital era, with easy-to-use workflow apps that connect your printer to your preferred third-party cloud services. What's more, the IM C530FB and IM C530F also restrict access to print output to the document owners only, thanks to the exclusive Streamline NX Secure Release feature. This gives you total control over who gets access to documents, whether they're members of your team or clients.

Future-proof technology to spearhead your business growth

There's no need to keep updating your devices to get access to new features and functionalities.

With our Always Current Technology, you'll instantly receive the latest updates and always stay one step ahead. IM C530FB and IM C530F allow new software features, applications and upgrades to be downloaded and installed directly to your device on request. This way, the everchanging needs of your business are promptly met. You'll never have to sit and wait for new functionalities to keep up with your business plans. Now you can easily future-proof your company's growth.



Product configuration



IM C530FB/IM C530F

MAIN SPECIFICATIONS

GENERAL	IM C530FB	IM C530F	
Varm-up time	39 seconds		
irst output speed: B/W	4 seconds 4.2 seconds		
irst output speed: full colour			
Continuous output speed	53 ppm 2 GB 2 GB 100 sheets		
lemory: standard			
lemory: maximum			
PDF capacity			
/eight	38 kg	42 kg	
imensions: W x D x H	470 x 502.8 x 643.7 mm	470 x 502.8 x 843.7 mm	
ower source	220 - 240 V, 50/60 Hz	220 - 240 V, 50/60 Hz	
OPIER			
rst copy speed	BW: 6.5 seconds, Colour: 6.6 seconds		
fultiple copying	Up to 999 copies		
esolution	1,200 x 1,200 dpi		
oom	From 25% to 400% in 1% steps		
RINTER			
PU	Cortex-A53 1,200 MHz		
rinter language: standard	PCL5c, PCL6, PostScript 3 (emu		
rint resolution: maximum	1,200 x 1,	•	
rint resolution	PCL5c:300 d		
	PCL6:600 dpi, 1,200 dpi		
	PS3:600 dpi, 1,200 dpi		
nterface	Standard:Operation Panel (Bluetooth 4.2, SD card slot (1Slot/Support SDHC memory card), USB host (Type A:1Port/Support US flash memory). Ontional USB host (Type A:1Port/Support keyboard). Ontional USB host (Type Mini B:1Port/Support NEC IC card		
	flash memory), Optional USB host (TypeA:1Port/Support keyboard), Optional USB host (Type Mini B:1Port/Support NFC IC can PMM_MicroSD card elect for expansion of POM storage of the operation unit. Wireless LAN (IEEE 802.11 alb/a/a), NEC Tag		
	R/W), MicroSD card slot for expansion of ROM storage of the operation unit, Wireless LAN (IEEE 802.11 a/b/g/n), NFC Tag (Include :ISO14443 Type A, NFC Forum Type2 Tag Compliant))		
	Option:Wireless LAN (
lobile printing capability	Apple AirPrint, Mopria®, Google Cloud I	• •	
Windows® environments	Windows® 7, Windows® 8.1, Windows® 10, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012R2, Windows® Server 2016		
Mac OS environments			
ICC OC CHVITUI III CITIS	Macintosh 8.6 or later (OS X Classic) Macintosh OS X v10.12 or later		
INIX environments	UNIX Sun® Solaris (9), HP-UX (11.x, 11i v2, 11i v3), SCO OpenSe		
	(V6.1, V7.1, V7.2), Citrix 2		
SAP® environments	SAP® R/3®, S		
CANNER			
CIS Scanning: full colour	46 ipm (simplex)/5	2 ipm (duplex)	
•	,	Simplex:BW (46 ipm (A4, 200dpi)), Colour (46 ipm (A4, 200dpi))	
Scanning speed: SPDF	Duplex:BW (71 ipm (A4, 200dpi)), Colour (52 ipm (A4, 200dpi))		
Compression method			
Compression method	BW: TIFF (MH, MR, MMR, JBIG2), Grayscale, Colour: JPEG		
ile formats	Single Page TIFF (Compression on, Compression off), Single page JPEG (Compression on), Single page PDF (Compression off), Single page High compression PDF (Compression on), Single page PDF/A (Compression on, Compression off), Single page High compression PDF (Compression on), Single page PDF/A (Compression on, Compression off), Single page PDF/A (Compression on, Compression off), Single page PDF/A (Compression on, Compression off), Single page PDF/A (Compression on, Compression on), Single page PDF/A (Compression on, Compression on), Single page PDF/A (Compression		
	Multi page TIFF (Compression off), Multi page PDF (Compression on), Single page PDF/A (Compression off), Multi page High		
	compression on, Compression on, Compression on), Multi page PDF (Compression on, Compression off), Multi page High		
can modes	E-mail, Folder, U		
AX			
ircuit	PSTN,	PBX	
ransmission speed	G3: approximately 3 seconds (200 x 100 dpi, JBIC	6, ITUT #1 chart TTI off, memory transmission)	
lodem speed: maximum	33.6 K	bps	
esolution: standard	8x3.85 line/mm,	200x100 dpi	
	8x7.7 line/mm, 1	200x200 dpi	
ompression method	MH, MR,	MMR	
canning speed	46 sp		
age memory size	Standard:		
AF memory size	Standard: 4 MB (appro:		
erial Broadcasting	otanadia. 4 mb (applo	,	
ax reception specifications			
elephone specifications			
APER HANDLING			
ecommended paper size	Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Ha	If letter Executive Foolscap Monarch C5 DI Env) Option	
2000 1110 1000 paper 3120	paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Ex		
	A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper)		
aper input: standard			
	550 sheets 3,250 sheets		
aper input: maximum			
aper output: standard aper weight 60 - 220 g/m²	400 sheets	500 sheets	
	60 - 176 g	-	
		m ²	
Paper weight Duplex: Paper types	Plain paper, Recycled paper, Special paper 1-3, Letterhead, Env	m² elope. Coated paper. Middle thick paper. Thick paper 1. Thic	

IM C530FB/IM C530F

MAIN SPECIFICATIONS

	IM C530FB IM C530F	
ECOLOGY		
Power consumption: max.	Less than 1,650 W	🚯 Bluetooth
Power consumption operation: B/W	578 W	
Power consumption operation: Full colour	633 W	
Power consumption: ready	99.8 W	CERTIFIED
Power consumption: sleep	0.75 W	
TEC*	0.73 kWh/week	
r It is a reference value based on he ENERGY STAR Ver.3.0 test method.		Works with Apple AirPrint
OUTPUT TRAYS AND FINISHE	OPTIONS	
4x 550-sheet paper tray	Paper size: (A4, A5, B5), Paper weight: (60-220 g/m²)	
2,000-sheet Large capacity tray	Paper size: (A4, LT), Paper weight: (60-176 g/m ²)	
OTHER OPTIONS		
Caster table, IEEE 802.11 a/g/n,	IFC card reader, Paperlock	
CONSUMABLES		
Starter toner	Black: 7,500 prints	
	Cyan: 4,500 prints	
	Magenta: 4,500 prints Yellow: 4,500 prints	
oner (black)	20,500 prints	
Foner: cyan/magenta/yellow	18,000 prints	
Consumable yield based on 3p/j 5% coverage on A4		

Ricoh France S.A.S.

Parc Tertiaire SILIC 7-9 avenue Robert Schuman - BP 70102 94513 Rungis Cedex France



+33 9 65 03 09 33





All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2018 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.